In re Appln. No. 09/762,603 P

## IN THE SEQUENCE LISTING

Please substitute the attached Sequence Listing, numbered as pages 1-4 for the Sequence Listing previously submitted.



## RECEIVED

AUG 2. 0 2001

## TECH CENTER 1600/2900

420

480

540

600

624

## SEQUENCE LISTING

C	MOTOYAMA, Yasuo DGATA, Tomoo SAKAI, Kazuhisa	
<120> USING T	GENES FOR DETECTING BACTERIA AND A METHOD FOR DETECTING BACTERIATHE GENES	A BY
<130>	MOTOYAMA=1	
	09/762,633 2001-02-12	
	PCT/JP99/04341 1999-08-11	
	JP 10/227177 1998-08-11	
<160>	11	
<170>	PatentIn version 3.1	
<211> <212>	1 624 DNA Pectinatus frisingensis	
	1	
	33	50
taaaaca	atc cgtcgagcac atccggaaca tgtattgttt ggttttgagg gtttctccct 12	0.
caaaaaa	ata gatagaacta atgggggcgt agctcagctg ggagagcacc tgccttgcaa 18	0
gcagggg	gtc aggagttcaa atctcctcgt ctccaccaga agagaaatgg gcctatagct 24	0
cagctgg	tta gagcgcacgc ctgataagcg tgaggtcagt agttcaagtc tacttaggcc 30	0
caccata	att gcacattgaa aactacacag aagaaaagca aagaacaatt aatcaccaat 36	0

gccaaacttg tgagaggaga ttttcaagag gatggcgggg aatagttgga ccaagcacaa

ttaggaaact aaaaacaagc taagacaaaa catataaact taagctaaag gtgatattct

ggaggagact cgagaatata ataaacttac cagaagcgtt cagatgcaag gaagcatgaa

agcgaatgaa gaaggcgtat tagtatacgc cgatgagtga gctgaaatga tgacgaagca

<210> 2 <211> 442 <212> DNA

gatgagcggt tatggaaagt ttaa

<400>	2						
gaagtcg	taa	caaggtagcc	gtatcggaag	gtgcggctgg	atcacctcct	ttctaaggat	60
taaaaca	atc	cgtcgagcac	atccggaaca	tgtattgttt	ggttttgagg	gtttctccct	120
caaatat	tgc	acattgaaaa	ctacacagaa	gaaaagcaaa	gaacaattaa	tcaccaatgc	180
caaactt	gtg	agaagagatt	ttcaagagga	tggcggggaa	tagttggacc	aagcacaatt	240
aggaaac	taa	aaacaagcta	agacaaaaca	tataaactta	agctaaaggt	gatattctgg	300
aggagac	tcg	agaatataat	aaacttacca	gaagcgttca	gatgcaagga	agcatgaaag	360
cgaatga	aga	aggcgtatta	gtatacgccg	atgagtgagc	tgaaatgatg	acgaagcaga	420
tgagcgg	tta	tggaaagttt	aa				442
<211> <212> :	3 724 DNA Pect	inatus cere	evisiiphilus	5			
	3 taa	caaqqtaqcc	atatcadaaa	atacaactaa	atcacctcct	ttataaaaat	60
					ttggttttga		120
					tatgtttaaa		180
					ctggtaaaaa		240
					aagcaggggg		300
					tcagctggtt		360
					ccaccaatat		420
					ccaaacttgt		480
gaggagag	gaa	tggcggggaa	tagttggacc	aagcacaaat	taggaaaaga	aacaaacgct	540
aagaaaca	aaa	catataaact	taagcgaaaa	ggtgatattc	tggaggaaac	ttcagagtat	600
ataaactt	tac	cagaagcgtt	cagatgcgag	gaagggcaaa	gctgagagaa	gaaagcgtat	660
taatatad	egc	tgatgaacga	agcaaagcac	tgacaaagca	gatggatggt	tatgggaagt	720
taca							724
<211> 3 <212> I		inatus cere	visiiphilus				
asat cat		caagatagg	atataaaaa	~+~~~~~	atcacctcct	4-44	60

ttgacaa	aaa	tctgtcga	gt	acatccggaa	tatgtattgt	ttggttttga	gggtttctcc	120
ctcataa	ata	ttgcacat	tg	aaaactacac	agaagaaagc	aaagaacaat	tatcaccaat	180
gccaaac	ttg	taagagaa	at	cgagaagaga	atggcgggga	atagttggac	caagcacaaa	240
ttaggaa	aag	aaacaaac	gc	taagaaacaa	acatataaac	ttaagcgaaa	aggtgatatt	300
ctggagg	aaa	cttcagag	ŗta	tataaactta	ccagaagcgt	tcagatgcga	ggaagggcaa	360
agcactg	aca	aagtagat	gg	atggttatgg	gaagttaca			399
<212> <213>		inatus f	fris	singensis				
	5 ctt	gaaaatct	c					19
<210> <211> <212> <213>	6 20 DNA Pect	cinatus f	Ēris	singensis				
<400>	6 et.ca	caagtttg	aac					20
<210> <211> <212> <213>	7 19 DNA			evisiiphilu	s			
<400>	7			•				19
cactctt	caca	agtatcta	ac					13
<210> <211> <212> <213>	8 20 DNA Pec	tinatus (	cer	evisiiphilu	s			
<400>	8	teegaeea	adc					20
Coacaa	-4	Joogado	-90					
<210> <211> <212> <213>	DNA		cer	evisiiphilu	s			
<400>	9	actacca:	<b>.</b>					20

<210>	10	
<211>	20	
<212>	DNA	
<213>	Pectinatus frisingensis	
<400>	10	
cgtatc	ccaga gatggatatt	20
<210>	11	
<211>	20	
<212>	DNA	
<213>	Pectinatus cerevisiiphilus	
<400>	11	
cqtatq	gcaga gatgcatatt	20